



**2008 List Price Sheet
for Bracket Bulletin GSXNBK-1000**

GSC Part Number	Status	Description	Price
10BV-A		Eclipse 2.5" screwed gas valve max. pressure 5 psi	\$332
1126-4		North American 2.0" threaded butterfly valve max. pressure 15 psi	\$485
1126-5		North American 2.5" threaded butterfly valve max. pressure 15 psi	\$495
1126-6		North American 3.0" threaded butterfly valve max. pressure 15 psi	\$541
1126-6F		North American 3.0" flanged butterfly valve max. pressure 15 psi	\$932
1126-7		North American 4.0" threaded butterfly valve max. pressure 15 psi	\$618
1126-7F		North American 4.0" flanged butterfly valve max. pressure 15 psi	\$1,033
12BV-A		Eclipse 3.0" screwed gas valve max. pressure 5 psi	\$361
16BV-A		Eclipse 4.0" screwed gas valve max. pressure 5 psi	\$586
8BV-A		Eclipse 2.0" screwed gas valve max. pressure 5 psi	\$296
F½-16		Hauck F series oil valve	\$791
F½-18		Hauck F series oil valve	\$791
F½-20		Hauck F series oil valve	\$791
F½-24		Hauck F series oil valve	\$791
G1-29		Hauck G series oil valve	\$764
NXCBA08		Air drive arm for CB Firetube boilers. For NX04	\$186
NXCBA08C		Air drive arm for CB Firetube boilers. For NXC04	\$186
NXCBA10C		Air drive arm for CB Firetube boilers. For NXC12 servmotor only	\$186
NXCBA12		Air drive arm for CB Firetube boilers. For NX20, NXC20, NXC40 and NX50 servomotors	\$186
NXCBA12C		Air drive arm for CB Firetube boilers. For NXC20, NXC40, NX50 servomotors	\$186
NXCBA01		"L" shaped bracket for mounting oil servo. Fits all servomotors	\$128
NXCBA02		"Z" shaped bracket, 1.5" standoff for mounting air servo. Fits all servomotors. (Air arm rotates parallel to the boiler front.)	\$128
NXCBFGR08		Coupling for CB FGR damper. Reuses the existing CB spring assembly for over travel.	\$167
NXCBFGR10		Coupling for CB FGR damper. Reuses the existing CB spring assembly for over travel.	\$167
NXCBFGR12		Coupling for CB FGR damper. Reuses the existing CB spring assembly for over travel	\$167
NXCBFGR350		Servomotor bracket for CB "LE" style boiler. Flue gas recirculation. Fits all servomotors NX04, NXC04, NX20, NXC20	\$138
NXCBFGR350		General Purpose "Z" shaped bracket. 2 mounting holes, standoff 3.5" Fits all servomotors	\$138
NXCBGV200		CB gas valve bracket, Honeywell V51E, 2.0". Fits all NX and NXC servomotors	\$128
NXCBGV250		CB gas valve bracket, Honeywell V51E, 2.5". Fits all NX and NXC servomotors	\$128



**2008 List Price Sheet
for Bracket Bulletin GSXNBK-1000**

GSC Part Number	Status	Description	Price
NXCBGV300		CB gas valve bracket, Honeywell V51E, 3.0". Fits all NX and NXC servmotors	\$128
NXCBGV400		CB gas valve bracket, Honeywell V51E, 4.0". Fits all NX and NXC servmotors	\$128
NXCBOC		Oil cam for CB Firetube and Watertube boilers. Fits all NXCBOFTxx cam shafts.	\$500
NXCBOFT08		Oil cam shaft with 8mm "D" hole, 5.5" long.Fits NX04, NXC04 Seromotors	\$167
NXCBOFT08-12	NS	Oil cam shaft with 8mm "D" hole, 12" long. Fits NX04, NXC04 servmotors	\$167
NXCBOFT10		Oil cam shaft with 10mm "D" hole, 5.5" long.Fits NX12 Seromotor only	\$167
NXCBOFT10-12	NS	Oil cam shaft with 10mm "D" hole, 12" long. Fits NXC12 servmotor only.	\$167
NXCBOFT12		Oil cam shaft with 12mm "D" hole, 5.5" long.Fits NX20, NXC20 Seromotors	\$167
NXCBOFT12-12	NS	Oil cam shaft with 12mm "D" hole, 12" long. Fits NX20, NXC20 servmotors	\$167
NXCBWTAO1		Hat bracket for CB Watertube boiler air servomotor. Dimensions: W 7.0"xH 5.5"x 5" standoff. Fits all servomotors.	\$223
NXCG0810S		General Purpose Coupling 8mm "D" hole x 10 mm; 4 set screws and pointer, drill hole for pinning, 2.5" long. Fits NX04 and NXC04 servomotors.	\$227
NXCG0812S		General Purpose Coupling 8mm "D" hole x 1.5"; 4 set screws and pointer, drill hole for pinning, 2.5 in. long. Fits NX04 and NXC04 servomotors.	\$227
NXCG1010S		General Purpose Coupling 10mm "D" hole x 10 mm; 4 set screws and pointer, drill hole for pinning, 2.5 in. long Fits NXC12 servomotor only	\$227
NXCG1012S		General Purpose Coupling 10mm "D" hole x 1.5", 4 set screws and pointer, drill hole for pinning, 2.5 in. long Fits NXC12 servomotor only	\$227
NXCG1012S		General purpose servomotor shaft coupling with "D" hole design, 10mm X 1/2", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227
NXCG1034S		General purpose servomotor shaft coupling with "D" hole design, 10mm X 3/4", 4 set screws and pointer. Drill hole for pinning	\$227
NXCG1038S		General purpose servomotor shaft coupling with "D" hole design, 10mm X 3/8", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227
NXCG1058S		General purpose servomotor shaft coupling with "D" hole design, 10mm X 5/8", 4 set screws and pointer. Drill hole for pinning	\$227
NXCG12100S		General purpose servomotor shaft coupling with "D" hole design, 12mm X 1.0", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227
NXCG1210S		General Purpose Coupling 12mm "D" hole x 10 mm; 4 set screws and pointer, drill hole for pinning, 2.5" long. Fits NX20, NXC20, NXC40, NX50 servomotors.	\$227
NXCG1212S		General purpose servomotor shaft coupling with "D" hole design, 12mm X 1/2", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227
NXCG1212SQ	NS	General purpose servomotor shaft coupling with "D" hole design, 12mm X 1/2", 4 set screws and pointer. Drill hole for pinning Square Socket	\$227
NXCG1234S		Air servomotor coupling for 3/4 inch damper shaft. Fits* NX20, NXC20, NXC40, NX50.	\$227
NXCG1234S		General purpose servomotor shaft coupling with "D" hole design, 12mm X 3/4", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227



**2008 List Price Sheet
for Bracket Bulletin GSXNBK-1000**

GSC Part Number	Status	Description	Price
NXCG1238S		General purpose servomotor shaft coupling with "D" hole design, 12mm X 3/8", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227
NXCG1258S		General purpose servomotor shaft coupling with "D" hole design, 12mm X 5/8", 4 set screws and pointer. Drill hole for pinning. 2.5" long	\$227
NXCGC0812S		Coupling for Honeywell V51E valve 8mm "D" hole by 1/2" with set screws and pointer	\$227
NXCGC1012S		Coupling for Honeywell V51E valve 10mm "D" hole by 1/2" with set screws and pointer	\$227
NXCGC1212S		Coupling for Honeywell V51E valve 12mm "D" hole by 1/2" with set screws and pointer	\$227
NXCGFLX34	NS	Special purpose expandable/flexible servomotor shaft coupling with "D" hole design, 12mm X 3/4" 3 in long	\$305
NXEVB200		Eclipse butterfly gas valve bracket, 2.0". Fits all NX and NXC servomotors	\$128
NXEVB250		Eclipse butterfly gas valve bracket, 2.5". Fits all NX and NXC servomotors	\$128
NXEVB300		Eclipse butterfly gas valve bracket, 3.0". Fits all NX and NXC servomotors	\$128
NXEVB400		Eclipse butterfly gas valve bracket, 4.0". Fits all NX and NXC servomotors	\$128
NXGPCA12		General purpose crank arm, 1/2 in. shaft, 3.5 in. center to center, 4 set screws with hole for pinning	\$236
NXHMV08		Hauck oil metering valve coupling - 8 mm. Fits NX04, NXC04 servomotors	\$227
NXHMV10		Hauck oil metering valve coupling - 10 mm. Fits NXC12 servomotor	\$227
NXHMV12		Hauck oil metering valve coupling - 12 mm. Fits NX20, NXC20, NXC40, NX50 servomotors	\$227
NXHMVFB		Mounting bracket: NX/NXC04 - 20 to Hauck F&B series oil valve	\$148
NXHMVGK		Mounting bracket: NX/NXC04 - 20 to Hauck G&K series oil valve	\$148
NXHMVS		Mounting bracket: NX/NXC04 - 20 to Hauck S series oil valve	\$148
NXICA345		Industrial crank arm with splined "D" hole mounting hub, 12mm with holes at 3", 4" & 5" from servo shaft.	\$236
NXICA678	NS	Industrial crank arm with splined "D" hole mounting hub, 12mm with holes at 6", 7" & 8" from servo shaft.	\$236
NXMRVB1	NS	Retrofit bracket for Maxon Micro Ratio Valve. Fits all servomotors	\$148
NXMRVC08	NS	Maxon Micro Ratio Valve Coupling. Fits NX04, NXC04 servomotors	\$227
NXMRVC10	NS	Maxon Micro Ratio Valve Coupling. Fits NX12 servomotor ONLY	\$227
NXMRVC12	NS	Maxon Micro Ratio Valve Coupling. Fits NX20, NXC20, NXC40, NX50 servomotors	\$227
NXNAB200		Servomotor mounting bracket for 2.0" valve. Fits all NX and NXC servomotors. Use 3/8" coupling.	\$128
NXNAB250		Servomotor mounting bracket for 2.5" valve. Fits all NX and NXC servomotors. Use 3/8" coupling.	\$128
NXNAB300		Servomotor mounting bracket for 3.0" valve. Fits all NX and NXC servomotors. Use 1/2" coupling.	\$128
NXNAB400		Servomotor mounting bracket for 4.0" valve. Fits all NX and NXC servomotors. Use 1/2" coupling.	\$128
NXNAC0812S		8mm "D" hole coupling for North American butterfly gas valve with 1/2" shaft. Fits NX04 and NXC04 servomotors.	\$227
NXNAC0838S		8mm "D" hole coupling for North American butterfly gas valve with 3/8" shaft. Fits NX04 and NXC04 servomotors.	\$227
NXNAC1012S		10mm "D" hole coupling for North American butterfly gas valve with 1/2" shaft. Fits NXC12 servomotor only.	\$227
NXNAC1038S		10mm "D" hole coupling for North American butterfly gas valve with 3/8" shaft. Fits NXC12 servomotor only.	\$227

**2008 List Price Sheet
for Bracket Bulletin GSNXBK-1000**

GSC Part Number	Status	Description	Price
NXNAC1212S		12mm "D" hole coupling for North American butterfly gas valve with 1/2" shaft. Fits NX20, NXC20, NXC40, NX50 servomotors.	\$227
NXNAC1238S		12mm "D" hole coupling for North American butterfly gas valve with 3/8" shaft. Fits NX20, NXC20, NXC40, NX50 servomotors.	\$227
NXSPB5		Standard pedestal bracket for general use. Fits all servomotors, 5" shaft height.	\$128
NXVB5197	NS	Honeywell 5197 Series Valve bracket fits all servomotors	\$148
NXVC5197-08	NS	Honeywell 5197 Series Valve coupling. Fits NX04, NXC04 servomotors	\$227
NXVC5197-10	NS	Honeywell 5197 Series Valve coupling. Fits only NXC12 servomotor ONLY	\$227
NXVC5197-12	NS	Honeywell 5197 Series Valve coupling fits NX20, NXC20, NXC40, NX50 servomotors	\$227
S3-11		Hauck S series oil valve	\$313
S3-3		Hauck S series oil valve	\$313
S3-5		Hauck S series oil valve	\$313
S3-7		Hauck S series oil valve	\$313
S3-9		Hauck S series oil valve	\$313
V51E1018		Honeywell V51E 2.0" screwed valve max. pressure 5 psi	\$516
V51E1034		Honeywell V51E 2.5" screwed valve max. pressure 5 psi	\$546
V51E1059		Honeywell V51E 3.0" screwed valve max. pressure 5 psi	\$575
V51E1075		Honeywell V51E 4.0" screwed valve max. pressure 5 psi	\$752

* NOTE: Other sizes available

For Use with Greenberg Bulletin GSNXBK-1000
